


PageSpeed Insights

Mobile



61 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 8 blocking script resources and 6 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://1000btc.club/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <https://1000btc.club/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/js/popup.js?ver=4.8.2>
- <https://1000btc.club/wp-content/plugins/wp-facebook->

Mobile

messenger/frontend/js/jquery.event.move.js?ver=4.8.2

- <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/js/rebound.min.js?ver=4.8.2>
- <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/js/index.js?ver=4.8.2>
- https://1000btc.club/wp-content/themes/Newsmag/js/tagdiv_theme.min.js?ver=4.0
- <https://1000btc.club/wp-includes/js/comment-reply.min.js?ver=4.8.2>

[Optimize CSS Delivery](#) of the following:

- <https://1000btc.club/wp-content/plugins/facebook-comment-by-vivacity/css/fb-comments-hidewpcomments.css?ver=4.8.2>
- <https://fonts.googleapis.com/css?family=Roboto%3A400%2C700%2C800%7COswald%3A400%2C700%2C800%7COpen+Sans%3A300%2C400%2C600%2C700%2C800%7CRoboto+Condensed%3A300%2C300italic%2C400%2C400italic%2C700%2C700italic%2C800&ver=4.0>
- <https://1000btc.club/wp-content/themes/Newsmag/style.css?ver=4.0>
- https://1000btc.club/wp-content/themes/Newsmag/includes/demos/sound_square/demo_style.css?ver=4.0
- <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/css/popup.css?ver=1.0.0>
- <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/css/messenger.css?ver=1.0.1>

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://widgets.cryptocompare.com/serve/v3/coin/header?fsyms=BTC,ETH,ZEC,STRAT,BCH,FRST,NEO&tsyms=USD&app=1000btc.club> (10 seconds)
- <https://secure.gravatar.com/avatar/?s=160&d=mm&r=g> (5 minutes)

Mobile

- https://static.doubleclick.net/instream/ad_status.js (15 minutes)
- https://connect.facebook.net/vi_VN/sdk.js (20 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 11.8KiB (15% reduction).

- Minifying <https://1000btc.club/wp-content/themes/Newsmag/style.css?ver=4.0> could save 11.8KiB (15% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 2.8KiB (11% reduction).

- Minifying <https://1000btc.club/> could save 2.8KiB (11% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 5KiB (40% reduction).

Mobile

- Minifying <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/js/popup.js?ver=4.8.2> could save 2.2KiB (39% reduction) after compression.
- Minifying <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/js/jquery.event.move.js?ver=4.8.2> could save 2.1KiB (50% reduction) after compression.
- Minifying <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/js/index.js?ver=4.8.2> could save 657B (24% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 31.1KiB (21% reduction).

- Compressing <https://1000btc.club/wp-content/uploads/2017/09/1000btc-club-logo.png> could save 16.9KiB (53% reduction).
- Compressing <https://1000btc.club/wp-content/uploads/2017/09/cindicator-238x178.png> could save 6.9KiB (13% reduction).
- Compressing <https://1000btc.club/wp-content/uploads/2017/08/market-238x178.png> could save 5.7KiB (11% reduction).
- Compressing <https://1000btc.club/wp-content/uploads/2017/08/PoW-vs-PoS-1024x512-08-19-2016-copy-238x178.jpg> could save 858B (14% reduction).
- Compressing <https://secure.gravatar.com/avatar/?s=160&d=mm&r=g> could save 735B (32% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually

Mobile

indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 44% of the final above-the-fold content could be rendered with the full HTML response snapshot:16.



2 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

99 / 100 User Experience



Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `Lukas` is close to 1 other tap targets final.
- The tap target `ICO là gì?` and 5 others are close to other tap targets.
- The tap target `Thiện Gbp` and 5 others are

Mobile

close to other tap targets.

- The tap target `` and 1 others are close to other tap targets.
- The tap target `<div class="thing"></div>` is close to 1 other tap targets final.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport


The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop

Desktop



77 / 100 Speed

! Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 8 blocking script resources and 6 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- <https://1000btc.club/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <https://1000btc.club/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/js/popup.js?ver=4.8.2>
- <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/js/jquery.event.move.js?ver=4.8.2>
- <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/js/rebound.min.js?ver=4.8.2>
- <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/js/index.js?ver=4.8.2>
- https://1000btc.club/wp-content/themes/NewsMag/js/tagdiv_theme.min.js?ver=4.0
- <https://1000btc.club/wp-includes/js/comment-reply.min.js?ver=4.8.2>

Optimize CSS Delivery of the following:

Desktop

- <https://1000btc.club/wp-content/plugins/facebook-comment-by-vivacity/css/fb-comments-hidewpcomments.css?ver=4.8.2>
- <https://fonts.googleapis.com/css?family=Roboto%3A400%2C700%2C800%7COswald%3A400%2C700%2C800%7COpen+Sans%3A300%2C400%2C600%2C700%2C800%7CRoboto+Condensed%3A300%2C300italic%2C400%2C400italic%2C700%2C700italic%2C800&ver=4.0>
- <https://1000btc.club/wp-content/themes/Newsomag/style.css?ver=4.0>
- https://1000btc.club/wp-content/themes/Newsomag/includes/demos/sound_square/demo_style.css?ver=4.0
- <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/css/popup.css?ver=1.0.0>
- <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/css/messenger.css?ver=1.0.1>



Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://widgets.cryptocompare.com/serve/v3/coin/header?fsyms=BTC,ETH,ZEC,STRAT,BCH,FRST,NEO&tsyms=USD&app=1000btc.club> (10 seconds)
- <https://secure.gravatar.com/avatar/?s=80&d=mm&r=g> (5 minutes)
- https://static.doubleclick.net/instream/ad_status.js (15 minutes)
- https://connect.facebook.net/vi_VN/sdk.js (20 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)

Minify CSS

Desktop

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 11.8KiB (15% reduction).

- Minifying <https://1000btc.club/wp-content/themes/Newsomag/style.css?ver=4.0> could save 11.8KiB (15% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 2.8KiB (11% reduction).

- Minifying <https://1000btc.club/> could save 2.8KiB (11% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 5KiB (40% reduction).

- Minifying <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/js/popup.js?ver=4.8.2> could save 2.2KiB (39% reduction) after compression.
- Minifying <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/js/jquery.event.move.js?ver=4.8.2> could save 2.1KiB (50% reduction) after compression.
- Minifying <https://1000btc.club/wp-content/plugins/wp-facebook-messenger/frontend/js/index.js?ver=4.8.2> could save 657B (24% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 42.1KiB (19% reduction).

- Compressing <https://1000btc.club/wp-content/uploads/2017/09/1000btc-club-logo.png> could save 16.9KiB (53% reduction).
- Compressing <https://1000btc.club/wp-content/uploads/2017/09/cindicator-300x194.png> could save 8.9KiB (13% reduction).
- Compressing <https://1000btc.club/wp-content/uploads/2017/09/cindicator-238x178.png> could save 6.9KiB (13% reduction).
- Compressing <https://1000btc.club/wp-content/uploads/2017/09/cindicator-180x135.png> could save 4.2KiB (14% reduction).
- Compressing <https://1000btc.club/wp-content/uploads/2017/08/market-180x135.png> could save 3.8KiB (11% reduction).
- Compressing and resizing <https://secure.gravatar.com/avatar/?s=80&d=mm&r=g> could save 800B (60% reduction).
- Compressing <https://1000btc.club/wp-content/uploads/2017/08/PoW-vs-PoS-1024x512-08-19-2016-copy-180x135.jpg> could save 641B (15% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 32% of the final above-the-fold content could be rendered with the full HTML response snapshot:16.



2 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).