

# PageSpeed Insights

Mobile



**MCAFEE.COM/ACTIVATE |  
ACTIVATE MCAFEE WITH  
ACTIVATION CODE -  
MCAFEE COM ACTIVATE**

To get the best security solutions for your devices,  
McAfee antivirus software offers the security products

**71 / 100** Speed

**!** Should Fix:

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### Remove render-blocking JavaScript:

- <http://how-to-activate.me/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://how-to-activate.me/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>

### Optimize CSS Delivery of the following:

- <http://fonts.googleapis.com/css?family=Lato%3A300%2C400%2C700%2C400italic%7CMonts>

## Mobile

errat%3A400%2C700%7CHomemade+Apple&subset=latin%2Clatin-ext

- <http://fonts.googleapis.com/css?family=Open+Sans%3A300%2C300italic%2C400%2C400italic%2C600%2C600italic%2C700%2C700italic%2C800%2C800italic&subset=latin&ver=4.9.10>
- <http://how-to-activate.me/wp-content/themes/zerif-lite/css/bootstrap.css?ver=4.9.10>
- <http://how-to-activate.me/wp-content/themes/zerif-lite/css/font-awesome.min.css?ver=v1>
- <http://how-to-activate.me/wp-content/themes/zerif-lite/style.css?ver=1.8.5.48>
- <http://how-to-activate.me/wp-content/themes/zerif-lite/css/responsive.css?ver=1.8.5.48>
- <http://how-to-activate.me/wp-content/themes/zerif-lite/css/style-mobile.css?ver=v1>



### Consider Fixing:

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://how-to-activate.me/wp-content/themes/zerif-lite/images/bg.jpg> (expiration not specified)
- <http://how-to-activate.me/wp-content/themes/zerif-lite/images/blank-latestposts.png> (expiration not specified)
- <http://how-to-activate.me/wp-content/themes/zerif-lite/images/left-arrow.png> (expiration not specified)
- <http://how-to-activate.me/wp-content/themes/zerif-lite/images/loading.gif> (expiration not specified)
- <http://how-to-activate.me/wp-content/themes/zerif-lite/images/right-arrow.png> (expiration not specified)
- <http://how-to-activate.me/wp-content/uploads/2019/03/Halo-fans-will-soon-test-%E2%80%9CMaster-Chief-Collection%E2%80%9D-via-Microsoft-Insider-program.png> (expiration not specified)
- <http://how-to-activate.me/wp-content/uploads/2019/03/Mcafee-prevent-Cybercrimes.png> (expiration not specified)

## Mobile

- <http://how-to-activate.me/wp-content/uploads/2019/04/McAfee-Online-Backup.jpg> (expiration not specified)
- <https://www.googletagmanager.com/gtag/js?id=UA-135472044-1> (15 minutes)
- <https://www.googletagmanager.com/gtag/js?id=UA-137465752-1> (15 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)
- <https://embed.tawk.to/5ca2fb8f6bba46052800ca51/default> (4 hours)

## Reduce server response time

In our test, your server responded in 0.36 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 4.4KiB (18% reduction).

- Minifying <http://how-to-activate.me/wp-content/themes/zerif-lite/style.css?ver=1.8.5.48> could save 4.3KiB (18% reduction) after compression.
- Minifying <http://how-to-activate.me/wp-content/themes/zerif-lite/css/responsive.css?ver=1.8.5.48> could save 119B (19% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and

## Mobile

execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 6.1KiB (35% reduction).

- Minifying <http://how-to-activate.me/wp-content/themes/zerif-lite/js/smoothscroll.js?ver=1.8.5.48> could save 2.6KiB (42% reduction) after compression.
- Minifying <http://how-to-activate.me/wp-content/themes/zerif-lite/js/jquery.knob.js?ver=1.8.5.48> could save 1.8KiB (36% reduction) after compression.
- Minifying <http://how-to-activate.me/wp-content/themes/zerif-lite/js/zerif.js?ver=1.8.5.48> could save 1.7KiB (27% reduction) after compression.

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 51.4KiB (40% reduction).

- Compressing <http://how-to-activate.me/wp-content/uploads/2019/04/McAfee-Online-Backup.jpg> could save 42.5KiB (63% reduction).
- Compressing <http://how-to-activate.me/wp-content/uploads/2019/03/Mcafee-prevent-Cybercrimes.png> could save 8.7KiB (15% reduction).
- Compressing <http://how-to-activate.me/wp-content/themes/zerif-lite/images/left-arrow.png> could save 173B (24% reduction).



4 Passed Rules

## Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

## Enable compression

## Mobile

You have compression enabled. Learn more about [enabling compression](#).

### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

## 100 / 100 User Experience



5 Passed Rules

### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

### Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

### Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

### Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

## Mobile

### Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

## Desktop



68 / 100 Speed

Should Fix:

### Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 309.7KiB (79% reduction).

- Compressing and resizing <http://how-to-activate.me/wp-content/uploads/2019/03/Halo-fans-will-soon-test-%E2%80%9CMaster-Chief-Collection%E2%80%9D-via-Microsoft-Insider-program.png> could save 201.8KiB (77% reduction).
- Compressing and resizing <http://how-to-activate.me/wp-content/uploads/2019/04/McAfee-Online-Backup.jpg> could save 59.7KiB (89% reduction).
- Compressing and resizing <http://how-to-activate.me/wp-content/uploads/2019/03/Mcafee-prevent-Cybercrimes.png> could save 48KiB (78% reduction).
- Compressing <http://how-to-activate.me/wp-content/themes/zerif-lite/images/left-arrow.png> could save 173B (24% reduction).

## Consider Fixing:

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://how-to-activate.me/wp-content/themes/zerif-lite/images/bg.jpg> (expiration not specified)
- <http://how-to-activate.me/wp-content/themes/zerif-lite/images/blank-latestposts.png> (expiration not specified)
- <http://how-to-activate.me/wp-content/themes/zerif-lite/images/left-arrow.png> (expiration not specified)
- <http://how-to-activate.me/wp-content/themes/zerif-lite/images/loading.gif> (expiration not specified)
- <http://how-to-activate.me/wp-content/themes/zerif-lite/images/right-arrow.png> (expiration not specified)
- <http://how-to-activate.me/wp-content/uploads/2019/03/Halo-fans-will-soon-test-%E2%80%9CMaster-Chief-Collection%E2%80%9D-via-Microsoft-Insider-program.png> (expiration not specified)
- <http://how-to-activate.me/wp-content/uploads/2019/03/Mcafee-prevent-Cybercrimes.png> (expiration not specified)
- <http://how-to-activate.me/wp-content/uploads/2019/04/McAfee-Online-Backup.jpg> (expiration not specified)
- <https://www.googletagmanager.com/gtag/js?id=UA-135472044-1> (15 minutes)
- <https://www.googletagmanager.com/gtag/js?id=UA-137465752-1> (15 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)
- <https://embed.tawk.to/5ca2fb8f6bba46052800ca51/default> (4 hours)

### Reduce server response time

In our test, your server responded in 0.51 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

### Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 4.4KiB (18% reduction).

- Minifying <http://how-to-activate.me/wp-content/themes/zerif-lite/style.css?ver=1.8.5.48> could save 4.3KiB (18% reduction) after compression.
- Minifying <http://how-to-activate.me/wp-content/themes/zerif-lite/css/responsive.css?ver=1.8.5.48> could save 119B (19% reduction) after compression.

### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 6.4KiB (34% reduction).

- Minifying <http://how-to-activate.me/wp-content/themes/zerif-lite/js/smoothscroll.js?ver=1.8.5.48> could save 2.6KiB (42% reduction) after compression.
- Minifying <http://how-to-activate.me/wp-content/themes/zerif-lite/js/jquery.knob.js?ver=1.8.5.48> could save 1.8KiB (36% reduction) after compression.
- Minifying <http://how-to-activate.me/wp-content/themes/zerif-lite/js/zerif.js?ver=1.8.5.48> could save 1.7KiB (27% reduction) after compression.

## Desktop

- Minifying <http://how-to-activate.me/wp-content/themes/zerif-lite/js/scrollReveal.js?ver=1.8.5.48> could save 309B (21% reduction) after compression.

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources and 6 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <http://how-to-activate.me/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://how-to-activate.me/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>

### [Optimize CSS Delivery](#) of the following:

- <http://fonts.googleapis.com/css?family=Lato%3A300%2C400%2C700%2C400italic%7CMontserrat%3A400%2C700%7CHomemade+Apple&subset=latin%2Clatin-ext>
- <http://fonts.googleapis.com/css?family=Open+Sans%3A300%2C300italic%2C400%2C400italic%2C600%2C600italic%2C700%2C700italic%2C800%2C800italic&subset=latin&ver=4.9.10>
- <http://how-to-activate.me/wp-content/themes/zerif-lite/css/bootstrap.css?ver=4.9.10>
- <http://how-to-activate.me/wp-content/themes/zerif-lite/css/font-awesome.min.css?ver=v1>
- <http://how-to-activate.me/wp-content/themes/zerif-lite/style.css?ver=1.8.5.48>
- <http://how-to-activate.me/wp-content/themes/zerif-lite/css/responsive.css?ver=1.8.5.48>



4 Passed Rules

Avoid landing page redirects

## Desktop

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).